

Реле печатной платы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>

Printed circuit board relay OA 5692




- Contact equipping: 1
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,8
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 28 x 10,8 x 25 mm

Printed circuit board relay OA 5682



- Contact equipping: 1
- Nominal voltage: DC 6 - 110 V
- Voltage Range UN: 0,7 - 2,2
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 29 x 12 x 25,5 mm

Printed circuit board relay OA 5681



- Contact equipping: 1
- Nominal voltage: DC 6 - 110 V
- Voltage Range UN: 0,7 - 2,2
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 29 x 25 x 12,5 mm

Printed circuit board relay OA 5672



- Contact equipping: 1
- Nominal voltage: DC 6 - 110 V
- Voltage Range UN: 0,7 - 2,2
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 29 x 12 x 25,5 mm

Printed circuit board relay OA 5662.12



- Contact equipping: 2
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,4
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 37 x 10,3 x 25 mm

Printed circuit board relay OA 5661.12



- Contact equipping: 2
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,4
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 37 x 25 x 10,8 mm

Printed circuit board relay OA 5652



- Contact equipping: 1
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,8
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 28 x 10,8 x 25 mm

Printed circuit board relay OA 5661



- Contact equipping: 1
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,8
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 28 x 25 x 10,8 mm

Printed circuit board relay OA 5662



- Contact equipping: 1
- Nominal voltage: DC 6 - 60 V
- Voltage Range UN: 0,7 - 1,8
- Protection type: RT II (flux-proof relay)
- Size L x W x H: 28 x 10,8 x 25 mm

Printed circuit board relay OA 5668



- Contact equipping: 2
- Nominal voltage: DC 5 - 110 V
- Voltage Range UN: 0,7 - 2,0
- Protection type: RT II (flux-proof relay), optional RT III (wash-tight)
- Size L x W x H: 29 x 13 x 25,5 mm

Relay socket ET 1415.021



- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694

Fixing clip ET 1415.025



- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694



Socket ET 1415.041

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694

[Compare](#)

[Remember](#)



Socket ET 1415.044

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694

[Compare](#)

[Remember](#)



Socket ET 1415.047

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694



Function module AC/DC 24 V, with varistor and green LED ET 1415.912

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694



Function module DC 24 V, with free-wheel diode and green LED ET 1415.913

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694



Function module DC 24 V, with free-wheel diode and red LED ET 1415.911

- For relay type: OA 5672, OA 5682, OA 5668, OA 5669, OB 5694

Monostable and bistable PCB relays

While the contacts of the monostable PCB relays return to the original switching position after the excitation variable is switched off, the switching position of the bistable relays is maintained after the excitation variable is switched off. Energy is therefore only required for a short time to change the switching position.

Relays with relay sockets or plug-in sockets or for printed circuit boards

PCB relays are suitable for plugging into relay sockets or plug-in bases or for soldering into printed circuit boards. The combination of plug-in socket and relay allows a quick exchange during maintenance or service.

Typical applications are:

- Building automation
- Installation technology
- Power engineering
- Remote switch
- Staircase light switch

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>