

Измерительные реле для основного мониторинга

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>



Phase Sequence Module OA 9059

- Measuring range max.: 690 V
- Standard measuring range: AC 380 - 690 V
- 1- / 3-phase: 3
- Width: 62 mm



Fuse Monitor RN 9075

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 1, 3
- Width: 52,5 mm



Phase monitor MH 9352/001

- 1- / 3-phase: 3
- Width: 45 mm



Phase monitor RK 9169

- Measuring range max.: 415 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase Sequence Relay MK 9056N

- Measuring range max.: 500 V
- Standard measuring range: 3 AC 380 - 500 V
- 1- / 3-phase: 3
- Width: 22,5 mm



Frequency Relay SL 9837

- Measuring range max.: 300 Hz
- Standard measuring range: 5 - 200 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 35 mm



Frequency Relay IL 9837

- Measuring range max.: 300 Hz
- Standard measuring range: 5 - 200 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 35 mm



Frequency Relay MK 9837N/5_0

- Measuring range max.: 600 Hz
- Standard measuring range: 1,5 - 600 Hz
- 1- / 3-phase: 1
- Width: 22,5 mm



Undervoltage Relay, 3-Phase With Test Key IL 9176

- Measuring range max.: 400 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Width: 35 mm



Fuse Monitor SP 9075

- Measuring range max.: 690 V
- Standard measuring range: 3 AC 380 - 415 V
- 1- / 3-phase: 3
- Width: 70 mm



Fuse Monitor SL 9075

- Measuring range max.: 440 V
- Standard measuring range: 3 AC 380 - 415 V
- 1- / 3-phase: 3
- Width: 35 mm



Fuse Monitor IP 9075

- Measuring range max.: 690 V
- Standard measuring range: 3 AC 380 - 415 V
- 1- / 3-phase: 3
- Width: 70 mm



Fuse Monitor IL 9075

- Measuring range max.: 440 V
- Standard measuring range: 3 AC 380 - 415 V
- 1- / 3-phase: 3
- Width: 35 mm



Phase-sequence relay SL 9059

- Measuring range max.: 690 V
- Standard measuring range: AC 380 - 690 V
- 1- / 3-phase: 3
- Width: 35 mm



Phase Sequence Module IL 9059

- Measuring range max.: 690 V
- Standard measuring range: AC 380 - 690 V
- 1- / 3-phase: 3
- Width: 35 mm



Phase sequence relay MK 9059

- Measuring range max.: 750 V
- Standard measuring range: 3 AC 150 - 750 V
- 1- / 3-phase: 3
- Width: 22,5 mm



Phase Failure Relay, With Time Delay IL 5201/20006

- 1- / 3-phase: 1, 3
- Width: 35 mm



Asymmetry Relay MK 9040N

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 22,5 mm



Phase-sequence relay BA 9041

- Measuring range max.: 500 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 45 mm



Frequency Relay MH 9837/5_0

- Measuring range max.: 600 Hz
- Standard measuring range: 1,5 - 600 Hz
- 1- / 3-phase: 1
- Width: 45 mm



Frequency Relay MH 9837

- Measuring range max.: 600 Hz
- Standard measuring range: 1,5 - 600 Hz
- 1- / 3-phase: 1
- Width: 45 mm



Frequency Relay MK 9837N

- Measuring range max.: 600 Hz
- Standard measuring range: 1,5 - 600 Hz
- 1- / 3-phase: 1
- Width: 22,5 mm



Mains Frequency Monitor MH 9143

- Measuring range max.: 50/60 Hz
- Standard measuring range: 50/60 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 45 mm



Mains Frequency Monitor MK 9143N

- Measuring range max.: 50/60 Hz
- Standard measuring range: 50/60 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 22,5 mm



Phase Sequence Monitor (Phase Sequence Relay) SK 9179

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase Sequence Monitor (Phase Sequence Relay) RK 9179

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase Sequence Monitor (Phase Sequence Relay) IK 9179

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase monitor SK 9169

- Measuring range max.: 415 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Asymmetry Relay BA 9040

- Measuring range max.: 3 AC 690 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 45 mm



Phase monitor IK 9169

- Measuring range max.: 415 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Frequency Relay AA 9837

- Measuring range max.: 600 Hz
- Standard measuring range: 30 - 90 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 45 mm



Asymmetry Relay AK 9840

- Measuring range max.: 3 AC 690 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 70 mm



Frequency Relay BA 9837

- Measuring range max.: 600 Hz
- Standard measuring range: 30 - 90 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 45 mm



Frequency Relay IK 9143

- Measuring range max.: 50/60 Hz
- Standard measuring range: 50/60 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 17,5 mm



Phase indicator IK 9168

- Measuring range max.: 400 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase Sequence Indicator IK 9178

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Neutral Monitor IL 9069

- Measuring range max.: 415 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 35 mm



Phase Monitor MH 9352/003

- Measuring range max.: AC 440 V
- 1- / 3-phase: 3
- Width: 45 mm



Phase monitor RK 9872

- Measuring range max.: 400 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Fuse Monitor RL 9075

- Measuring range max.: 3 AC 110 V
- Standard measuring range: 3 AC 110 V / 64 V
- 1- / 3-phase: 1, 3
- Width: 35 mm



Frequency Relay SK 9143

- Measuring range max.: 50/60 Hz
- Standard measuring range: 50/60 Hz
- 1- / 3-phase: 1
- Operate delay: Yes
- Width: 17,5 mm



Phase indicator SK 9168

- Measuring range max.: 400 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Phase Sequence Indicator SK 9178

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 400 V
- 1- / 3-phase: 3
- Width: 17,5 mm



Neutral Monitor SL 9069

- Measuring range max.: 415 V
- Standard measuring range: 3/N AC 400/230 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 35 mm



Trip circuit monitor UG 5124

- Width: 22,5 mm



Fuse monitor UG 9075

- Measuring range max.: 3 AC 400 V
- Standard measuring range: 3 AC 110 - 400 V
- 1- / 3-phase: 3
- Operate delay: Yes
- Width: 22,5 mm

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>