

Измерительные реле для контроля напряжения

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>



DC voltage relay, for Modbus UG 9431

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 1000 V
- Auxiliary voltage: DC



DC voltage relay UG 9831

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 1000 V
- Auxiliary voltage: DC



Voltage Relay RN 9854

- Width: 52,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 528 V
- Auxiliary voltage: Without



Battery symmetry monitor BA 9054/332

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 500 V
- Auxiliary voltage: AC, DC



Battery symmetry monitor BA 9054/331

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 220 V
- Auxiliary voltage: Without



Undervoltage Relay IL 9071

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Overvoltage Relay IL 9070

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Undervoltage relay BA 9043

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 3
- Nominal voltage max.: 3/N AC 690 / 400 V
- Auxiliary voltage: Without



Voltage Relay RL 9836

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 250 V
- Auxiliary voltage: Without



Undervoltage Relay, Single-Phase SK 9173

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230, DC 125 V
- Auxiliary voltage: Without



Short-time Voltage Drop Relay SL 9079

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3 AC 500 V
- Auxiliary voltage: Without



Undervoltage Relay, Single-Phase IK 9173

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230, DC 125 V
- Auxiliary voltage: Without



Short-time Voltage Drop Relay IL 9079

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 400 / 230 V
- Auxiliary voltage: Without



Voltage relay MK 9054N

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 500, DC 450 V
- Auxiliary voltage: AC/DC



Voltage relay BA 9054

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 1000, DC 900 V
- Auxiliary voltage: AC, DC, AC/DC



Voltage monitor IK 9046

- Width: 17,5 mm
- 1- / 3-phase: 1
- Nominal voltage max.: DC 24 V
- Auxiliary voltage: Without



Voltage monitor IK 9044

- Width: 17,5 mm
- 1- / 3-phase: 1
- Nominal voltage max.: DC 24 V
- Auxiliary voltage: Without



Undervoltage Relay, 3-phase SK 9171

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Overvoltage Relay, Single Phase SK 9172

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230, DC 110 V
- Auxiliary voltage: Without



Undervoltage Relay, 3-phase IK 9171

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Overvoltage Relay, Single Phase IK 9172

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230, DC 110 V
- Auxiliary voltage: Without



Voltage Relay BA 9036

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 400 V
- Auxiliary voltage: Without



Voltage Relay BA 9037

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 400 V
- Auxiliary voltage: Without



Short-time Voltage Drop Relay BC 9190N

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230 V
- Auxiliary voltage: Without



Overvoltage Relay, 3-phase IK 9170

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 400 / 230 V
- Auxiliary voltage: Without



Undervoltage Relay, 3-phase IL 9171

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Undervoltage Relay, 3-phase IP 5201/40015

- Width: 70 mm
- 1- / 3-phase: 3
- Nominal voltage max.: 3/N AC 110 / 63,5 V
- Auxiliary voltage: DC



Undervoltage relay, for medical rooms IP 9109.17/107

- Width: 70 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230 V
- Auxiliary voltage: Without



Undervoltage relay IP 9109.27/107

- Width: 70 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 230 V
- Auxiliary voltage: Without



Undervoltage relay IP 9110/107

- Width: 70 mm
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 400 / 230 V
- Auxiliary voltage: Without



Voltage relay MH 9064

- Width: 45 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC/DC 600 V
- Auxiliary voltage: AC, DC, AC/DC



Voltage monitor MK 9046N

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: DC 48 V
- Auxiliary voltage: Without



Voltage relay MK 9064N

- Width: 22,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC/DC 300 V
- Auxiliary voltage: DC



Undervoltage Relay RK 9871

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 400 / 230 V
- Auxiliary voltage: Without



Voltage Relay RL 9854

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1
- Nominal voltage max.: AC 300 V
- Auxiliary voltage: Without



Overvoltage Relay, 3-phase SK 9170

- Width: 17,5 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 400 / 230 V
- Auxiliary voltage: Without



Overvoltage Relay SL 9070

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Undervoltage Relay SL 9071

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without



Undervoltage Relay SL 9171

- Width: 35 mm
- Operate delay: Yes
- 1- / 3-phase: 1, 3
- Nominal voltage max.: 3/N AC 500 / 290 V
- Auxiliary voltage: Without

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ddo@nt-rt.ru || сайт: <https://dold.nt-rt.ru/>